

Task Shifting: Need for a more Cautious and Nuanced Approach

Task shifting refers to the strategic redistribution and decentralization of health care tasks from one group to another (including lay workers), the latter usually deemed as having lesser training and qualifications, and is an approach that is utilized to address the shortage and imbalance of the health workforce within a certain geographic area, thereby ensuring a population's access to care.¹ Task shifting can involve extending the role of a particular group (*enhancement*), exchanging work between groups (*substitution/delegation*), or creation of new jobs (*innovation*).² While the primary conceptualization of task shifting is from professional to lay health workers, it must be stated that task shifting can also involve shifting of tasks from professionals to patients; from health workers to technology; and between different types of health workers.² Task shifting has been implemented in a variety of settings and for different programs/conditions, such as HIV/AIDS treatment³, cancer care⁴, mental health⁵, ultrasonography for antenatal care⁶, surgical care⁷, and non-communicable disease management⁸, similar to the context of the report by Tamayo and Reyes⁹ in this issue of *Acta Medica Philippina*. In addition to bridging the health human resources gap, it has been proposed that task shifting may address health equity by broadening access to essential health services, contribute to enhancing the quality of care that is aligned with the changing societal needs, and yield cost savings particularly for the delivery of routine activities.^{10,11}

Despite its widespread application, touted benefits, and the seeming preference of many organizations to use task shifting a default solution to the health workforce challenge, three things must be pointed out.

First, task shifting should be properly seen as a **temporary solution** to the health workforce challenge confronting countries and health systems.^{12,13} Better and more comprehensive planning and management of human resources for health at the system level is needed so that we can address the underlying problems that resulted to the implementation of task shifting in the first place – shortage, maldistribution, skill-mix balance, and sub-optimal working conditions that are, in turn, driven, by both health system and contextual factors.¹⁴

Second, in situations where task shifting is perceived to be the better policy alternative, the program should be **implemented in an ethical manner**, considering respect for persons (i.e., free and informed decision making to take part in task shifting, recognition of recipients of tasks as critical contributors to the health program), justice (i.e., adequate guidance and supervision, fair remuneration, minimization of undue burden), beneficence (i.e., promoting health and welfare of workers, minimizing harm to workers and communities), proportionality (i.e., assignment of workload and responsibility commensurate to skills and resources available), and cultural humility (i.e., cultural competency and humility on the part of dominant institutions), especially when the recipient of tasks are volunteer community health workers.¹⁵

Lastly, task shifting should be implemented as a comprehensive **package of interventions**, rather than a single activity. At the outset, the necessary conditions and important considerations for launching a task shifting program should be present, as outlined in the Concepts and Opportunities to Advance Task Shifting and Task Sharing (COATS) Framework.¹⁶ The key elements for successful implementation (i.e., collaboration and coordinated care, financing, patient preference, shared decision-making, provider empowerment, training and competency, clear process outcomes, and supportive organizational system) of task shifting should also be present.¹⁷ Recommendations on how and when to adopt task shifting as a strategy have also been published by various organizations such as the World Health Organization¹ and the World Medical Association¹⁸.

The success of a task shifting strategy will require, among others, that health workers be actively engaged in the process, ensuring that the planned task shifting is aligned with their personal values, and creating an enabling environment¹⁹ that will allow them to carry out their tasks effectively, efficiently, and in a safe manner. In short, one of the requirements is that, as pointed out in the paper by Tamayo and Reyes⁹, stakeholders find task shifting an acceptable strategy.

Carl Abelardo T. Antonio, MD, MPH

Department of Health Policy and Administration

College of Public Health

University of the Philippines Manila

REFERENCES

1. World Health Organization, PEPFAR & UNAIDS. Task shifting: Rational redistribution of tasks among health workforce teams. Global recommendations and guidelines [Internet]. Geneva: World Health Organization. 2007 [cited 2023 Nov 13]. Available from: <https://iris.who.int/handle/10665/43821>
2. European Commission. Task shifting and health system design: Report of the Expert Panel on effective ways of investing in Health (EXPH) [Internet]. Luxembourg: Publications Office of the European Union. 2019 [cited 2023 Nov 13]. Available from: https://health.ec.europa.eu/system/files/2019-11/023_taskshifting_en_0.pdf
3. Emdin CA, Millson P. A systematic review evaluating the impact of task shifting on access to antiretroviral therapy in sub-Saharan Africa. *Afr Health Sci*. 2012 Sep;12(3):318-24. doi: 10.4314/ahs.v12i3.11. PMID: 23382746; PMCID: PMC3557675.
4. Chukwu OA, Nnogo CC, Essue B. Task shifting to nonphysician health workers for improving access to care and treatment for cancer in low- and middle-income countries- a systematic review. *Res Social Adm Pharm*. 2023 Dec;19(12):1511-9. doi: 10.1016/j.sapharm.2023.08.010. PMID: 37659923.
5. Galvin M, Byansi W. A systematic review of task shifting for mental health in sub-Saharan Africa. *Int J Ment Health*. 2020;49(4):336-60. doi: 10.1080/00207411.2020.1798720.
6. Abrokwa SK, Ruby LC, Heuvelings CC, B elard S. Task shifting for point of care ultrasound in primary healthcare in low- and middle-income countries-a systematic review. *EClinicalMedicine*. 2022 Mar 6;45:101333. doi: 10.1016/j.eclinm.2022.101333. PMID: 35284806; PMCID: PMC8904233.
7. Federspiel F, Mukhopadhyay S, Milsom P, Scott JW, Riesel JN, Meara JG. Global surgical and anaesthetic task shifting: a systematic literature review and survey. *Lancet*. 2015 Apr 27;385 Suppl 2:S46. doi: 10.1016/S0140-6736(15)60841-8. PMID: 26313095.
8. Joshi R, Alim M, Kengne AP, Jan S, Maulik PK, Peiris D, et al. Task shifting for non-communicable disease management in low and middle income countries--a systematic review. *PLoS One*. 2014 Aug 14;9(8):e103754. doi: 10.1371/journal.pone.0103754. PMID: 25121789; PMCID: PMC4133198.
9. Tamayo RLJ, Reyes KAV. Acceptability of task shifting primary care diabetes self-management education services to volunteer barangay health workers in a Philippine city. *Acta Med Philipp*. 2023;57(12):12-17. doi:10.47895/amp.vi0.6316
10. Seidman G, Atun R. Does task shifting yield cost savings and improve efficiency for health systems? A systematic review of evidence from low-income and middle-income countries. *Hum Resour Health*. 2017 Apr 13;15(1):29. doi: 10.1186/s12960-017-0200-9. PMID: 28407810; PMCID: PMC5390445.
11. van Tuyl L, Vrijhoef B, Laurant M, de Bont A, Batenburg R. Broadening the scope of task shifting in the organisation of healthcare. *Int J Care Coord*. 2021;24(3-4):91-5. doi:10.1177/20534345211039988.
12. Philips M, Zachariah R, Venis S. Task shifting for antiretroviral treatment delivery in sub-Saharan Africa: not a panacea. *Lancet*. 2008 Feb 23;371(9613):682-4. doi: 10.1016/S0140-6736(08)60307-4. PMID: 18295026.
13. Berer M. Task-shifting: exposing the cracks in public health systems. *Reprod Health Matters*. 2009 May;17(33):4-8. doi: 10.1016/S0968-8080(09)33458-8. PMID: 19523577.
14. World Health Organization. The world health report 2006: Working together for health [Internet]. Geneva: World Health Organization. 2006 [cited 2023 Nov 13]. Available from: <https://iris.who.int/handle/10665/43432>
15. Mundeve H, Snyder J, Ngilangwa DP, Kaida A. Ethics of task shifting in the health workforce: exploring the role of community health workers in HIV service delivery in low- and middle-income countries. *BMC Med Ethics*. 2018 Jul 4;19(1):71. doi: 10.1186/s12910-018-0312-3. PMID: 29973217; PMCID: PMC6032788.
16. Orkin AM, Rao S, Venugopal J, Kithulegoda N, Wegier P, Ritchie SD, et al. Conceptual framework for task shifting and task sharing: an international Delphi study. *Hum Resour Health*. 2021 May 3;19(1):61. doi: 10.1186/s12960-021-00605-z. PMID: 33941191; PMCID: PMC8091141.
17. Leong SL, Teoh SL, Fun WH, Lee SWH. Task shifting in primary care to tackle healthcare worker shortages: An umbrella review. *Eur J Gen Pract*. 2021 Dec;27(1):198-210. doi: 10.1080/13814788.2021.1954616. PMID: 34334095; PMCID: PMC8330741.
18. World Medical Association. WMA resolution on task shifting from the medical profession [Internet]. 2019 Nov 26 [cited 2023 Nov 13]. Available from: <https://www.wma.net/policies-post/wma-resolution-on-task-shifting-from-the-medical-profession/>
19. Coales K, Jennings H, Afaq S, Arsh A, Bhatti M, Siddiqui F, et al. Perspectives of health workers engaging in task shifting to deliver health care in low-and-middle-income countries: a qualitative evidence synthesis. *Glob Health Action*. 2023 Dec 31;16(1):2228112. doi: 10.1080/16549716.2023.2228112. PMID: 37431834; PMCID: PMC10337489.